

Printing date 07/26/2018 Version 3 Reviewed on 07/25/2018

1 Identification

· Product identifier

Trade name: EX-3 PRESS LF: Paste Type

· Article number: US830-PO

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the mixture Dental porcelain
- · Details of the supplier of the safety data sheet
- · Manufacturer:

Kuraray Noritake Dental Inc. 300 Higashiyama, Miyoshi-cho, Miyoshi, Aichi, 470-0293

Japan

Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

· Emergency telephone number:

For chemical emergency spill, leak, fire, exposure or accident

Call CHEMTREC day and night

Within USA and Canada: 1-800-424-9300 CCN706984 or

+1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.

Repr. 2 H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



Acute Tox. 4 H302 Harmful if swallowed.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS07, GHS08
- · Signal word Danger
- · Hazard-determining components of labeling:

vanadium pentoxide

· Hazard statements

H302 Harmful if swallowed.

H341 Suspected of causing genetic defects.

H351 Suspected of causing cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 2)



Printing date 07/26/2018 Version 3 Reviewed on 07/25/2018

Trade name: EX-3 PRESS LF: Paste Type

(Contd. of page 1)

Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P314 Get medical advice/attention if you feel unwell.

P330 Rinse mouth. P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:				
1314-62-1	vanadium pentoxide	≤1%		
	 Muta. 2, H341; Carc. 2, H351; Repr. 2, H361; STOT RE 1, H372; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335 			
	glycerol	10-50%		
107-88-0	1,3-Butanediol	5-15%		
	♦ Skin Irrit. 2, H315; Eye Irrit. 2A, H319			

Other ingredients:

Potassium alumino silicate glass

Pigments

4 First-aid measures

- · Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Immediately call a doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Product is not flammable
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- · Protective equipment: No special measures required.

110



Printing date 07/26/2018 Version 3 Reviewed on 07/25/2018

Trade name: EX-3 PRESS LF: Paste Type

(Contd. of page 2)

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures See Section 8.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Pick up mechanically.

Ensure adequate ventilation.

Use appropriate Personal Protective Equipment (PPE).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes. Do not swallow. Avoid generating dust. Do not breathe dust/fume/gas/mist/vapors/spray.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store at room temperature.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

Components with limit values that require monitoring at the workplace:

1314-62-1 vanadium pentoxide

	Ceiling limit value: 0.5* 0.1** mg/m³
	as V2O5,*respirable dust **fume
REL (USA)	Ceiling limit value: 0.05* mg/m³ *15-min, except V metal and carbide
TLV (USA)	Long-term value: 0.05* mg/m ³
	*as inhalable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



(Contd. on page 4)



Printing date 07/26/2018 Version 3 Reviewed on 07/25/2018

Trade name: EX-3 PRESS LF: Paste Type

(Contd. of page 3)

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

Information on basic physical and chemical properties				
General Information Appearance:				
Form:	Pasty			
Color:	Colored			
· Odor:	Odorless			
· Odor threshold:	Not determined			
· pH-value:	Not determined			
· Change in condition Melting point/Melting range: Boiling point/Boiling range:	18.2 °C (glycerol) 290 °C (glycerol)			
· Flash point:	160 °C (glycerol)			
· Flammability (solid, gaseous):	Product is not flammable.			
· Ignition temperature:	400.0 °C (glycerol)			
· Decomposition temperature:	Not determined			
· Auto igniting:	Not determined			
Danger of explosion:	Product does not present an explosion hazard.			
· Explosion limits:				
Lower:	0.9 Vol % (glycerol)			
Upper:	Not determined			
· Oxidizing properties	Not determined			
· Vapor pressure:	0.1 hPa (20°C, glycerol)			
· Density:	Not determined			
Relative density	Not determined			
· Vapor density	Not determined			
· Evaporation rate	Not determined			

(Contd. on page 5)



Printing date 07/26/2018 Version 3 Reviewed on 07/25/2018

Trade name: EX-3 PRESS LF: Paste Type

(Contd. of page 4)

Solubility in / Miscibility with

Water: Partly miscible.

Partition coefficient (n-octanol/water): Not determined

Viscosity: Not determined
 Dynamic: Not determined
 Kinematic: Not determined

Other informationNo further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None

11 Toxicological information

- Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

1314-62-1 vanadium pentoxide

Oral LD50 10 mg/kg (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

· IARC (International Agency for Research on Cancer)

1314-62-1 vanadium pentoxide

2B

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

(Contd. on page 6)



Printing date 07/26/2018 Version 3 Reviewed on 07/25/2018

Trade name: EX-3 PRESS LF: Paste Type

(Contd. of page 5)

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
· Packing group · DOT, ADR, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
· UN "Model Regulation":	Void

15 Regulatory information

· Section 355 (extremely hazardous substances):

1314-62-1 vanadium pentoxide

Section 313 (Specific toxic chemical listings):

1314-62-1 vanadium pentoxide

- · SARA 311/312: See Section 2 for the information on physical and health hazards.
- Proposition 65
- · Chemicals known to cause cancer:

1314-62-1 vanadium pentoxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

(Contd. on page 7)



Printing date 07/26/2018 Version 3 Reviewed on 07/25/2018

Trade name: EX-3 PRESS LF: Paste Type

(Contd. of page 6)

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

1314-62-1 vanadium pentoxide

Α3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Precautionary statements



WARNING: This product can expose you to chemicals including vanadium oxide which is known to the State of California to cause cancer. For more information go to https:// www.p65warnings.ca.gov/.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· NFPA ratings (scale 0 - 4)



Health = 1Fire = 0Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0 REACTIVITY $\boxed{0}$ Reactivity = 0

1 Health = 1 Fire = 0

Abbreviations and acronyms: Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 2: Carcinogenicity - Category 2

Carc. 2: Carcinogenicity - Category 2

Repr. 2: Reproductive toxicity – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

* Data compared to the previous version altered.