

Printing date 03/19/2024 Version 7 Reviewed on 03/19/2024

1 Identification

· Product identifier

· Trade name: PANAVIA 21; CATALYST PASTE

· Article number: US050-PC

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Dental materials

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Supplier

Kuraray America, Inc.

32 Old Slip, 7th Floor, New York,

NY 10005 U.S.A. Tel: 800-879-1676

Website: www.kuraraydental.com

· Emergency telephone number:

CHEMTREC; day and night, within USA and Canada

1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

Sensitization - Skin 1 H317 May cause an allergic skin reaction.

Carcinogenicity 1A H350 May cause cancer.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS07

GHS08

· Signal word Danger

· Hazard-determining components of labeling:

Quartz (SiO2)

benzoyl peroxide

· Hazard statements

H317 May cause an allergic skin reaction.

H350 May cause cancer.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapors/spray

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 If on skin: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

(Contd. on page 2)



Printing date 03/19/2024 Version 7 Reviewed on 03/19/2024

Trade name: PANAVIA 21; CATALYST PASTE

(Contd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Other hazards Avoid breathing sanding dust / swarf.
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB**: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

U	components:	
	Quartz (SiO2)	> 80%
	❖ Carcinogenicity 1A, H350	
	benzoyl peroxide	< 1%
	♦ Organic Peroxides - Type B, H241; ♦ Eye Irritation 2A, H319; Sensitization - Skin 1, H317	

· Other ingredients:

Hydrophobic aromatic dimethacrylate

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophobic aliphatic dimethacrylate

Amorphous silica

4 First-aid measures

- · Description of first aid measures
- · General information:

Avoid contact with eyes.

Avoid contact with skin.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the environment.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

TIC



Printing date 03/19/2024 Version 7 Reviewed on 03/19/2024

Trade name: PANAVIA 21; CATALYST PASTE

(Contd. of page 2)

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Use personal protection recommended in Section 8. Isolate the hazard area and deny entry to unnecessary and unprotected personnel.

- · Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Contain spill, then place in a suitable container. Minimize dust generation. Do not flush to sewer or allow to enter waterways.

Vacuum or sweep material and place in a disposal container. Provide ventilation.

Use appropriate Personal Protective Equipment (PPE).

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Open and handle receptacle with care.

Avoid contact with skin and eyes, Do not swallow. Avoid generating dust. Do not breathe dust/fume/gas/mist/vapors/spray.

- Information about protection against explosions and fires: Keep respiratory protective device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8°C).
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Control parameters

· Components with	limit values	that require	monitoring at t	he workplace:
-------------------	--------------	--------------	-----------------	---------------

14808-60-7 Quartz (SiO2)

PEL	Long-term value: 0.05* mg/m ³
	*resp. dust; 30mg/m3/%SiO2+2
REL	Long-term value: 0.05* mg/m ³

*respirable dust; See Pocket Guide App. A

TLV Long-term value: 0.025* mg/m³ *respirable particulate matter, A2

94-36-0 benzovl peroxide

PEL	Long-term value: 5 mg/m ³
	Long-term value: 5 mg/m³
TLV	Long-term value: 5 mg/m³ A4
	A4

(Contd. on page 4)



Version 7 Reviewed on 03/19/2024 Printing date 03/19/2024

Trade name: PANAVIA 21; CATALYST PASTE

(Contd. of page 3)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Additional information about design of technical systems: No further data; see section 7.
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Breathing equipment:

Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

9 Physical and chemical properties

· Information on	basic physical	l and c	chemical	properties
· Physical state				Solid

· Color: White · Odor: Odorless · Odor threshold: Not determined. · Melting point/Melting range: Not determined · Boiling point/Boiling range: Not determined Not determined. · Flammability (solid, gaseous):

· Explosion limits: · Lower: Not determined · Upper: Not determined Not determined · Flash point: · Auto ignition temperature: Not determined · Decomposition temperature: Not determined · pH-value: Not determined · Viscosity: Not determined · Kinematic viscosity Not determined. · Dynamic: Not applicable.

(Contd. on page 5)



Version 7 Reviewed on 03/19/2024 Printing date 03/19/2024

Trade name: PANAVIA 21; CATALYST PASTE

(Contd. of page 4)

· Solubility in / Miscibility with

Insoluble. · Water: Not determined. · Partition coefficient (n-octanol/water): · Vapor pressure: Not determined

Density at 20 °C: 2 g/cm³

Not determined · Relative density Not determined · Relative vapor density

· Other information

· Important information on protection of health and

environment, and on safety.

Danger of explosion: Product does not present an explosion hazard.

· Change in condition

· Evaporation rate Not determined

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.
- on the skin: Based on available data, the classification criteria are not met.
- on the eye: Based on available data, the classification criteria are not met.
- · Sensitization: May cause an allergic skin reaction.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity May cause cancer.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

· Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

14808-60-7 Quartz (SiO2)

· NTP (National Toxicology Program) 14808-60-7 Quartz (SiO2) K

12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

1



Printing date 03/19/2024 Version 7 Reviewed on 03/19/2024

Trade name: PANAVIA 21; CATALYST PASTE

(Contd. of page 5)

- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- \cdot Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes: Not hazardous for water.

13 Disposal considerations

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number	
· DOT, IMDG, IATA	Void
· UN proper shipping name	
DOT, IMDG, IATA	Void
Transport hazard class(es)	
DOT, IMDG, IATA	
Class	Void
Packing group	
DOT, IMDG, IATA	Void
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex	II of
MARPOL73/78 and the IBC Code	Not applicable.
UN "Model Regulation":	Void

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

94-36-0 benzoyl peroxide

- · SARA 311/312: See Section 2 for the information on physical and health hazards.
- · TSCA (Toxic Substances Control Act):

14808-60-7 Quartz (SiO2)

ACTIVE

(Contd. on page 7)



Printing date 03/19/2024 Version 7 Reviewed on 03/19/2024

Trade name: PANAVIA 21; CATALYST PASTE

(Contd. of page 6)

94-36-0 benzoyl peroxide

ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories :

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

14808-60-7 Quartz (SiO2)

A2

- · National regulations:
- · Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H241 Heating may cause a fire or explosion.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H350 May cause cancer.

· NFPA ratings (scale 0 - 4)



Health = 0 Fire = 0

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = *0

Fire = 0

REACTIVITY 0 Reactivity = 0

· Abbreviations and acronyms:

DOT: US Department of Transportation

ELINCS: European List of Notified Chemical Substances

TLV: Threshold Limit Value PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Organic Peroxides - Type B: Organic peroxides - Type B

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Sensitization - Skin 1: Skin sensitisation - Category 1 Carcinogenicity 1A: Carcinogenicity - Category 1A

* Data compared to the previous version altered.