

Printing date 12/28/2023 Version 1 Reviewed on 12/28/2023

1 Identification

· Product identifier

· Trade name: PANAVIA 21; PANAVIA ETCHING AGENT V

· Article number: CA050-EV

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Dental materials

· Details of the supplier of the safety data sheet

·Supplier

Kuraray America, Inc.

32 Old Slip, 7th Floor, New York,

NY 10005 U.S.A. Tel: 800-879-1676

Website: www.kuraraydental.com

· Further information obtainable from: Supplier

· Emergency telephone number:

CHEMTREC; day and night, within USA and Canada

1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard identification

· Classification of the substance or mixture

Skin Corrosion - Category 1B H314 Causes severe skin burns and eye damage.

Serious Eye Damage - Category 1 H318 Causes serious eye damage.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05

- · Signal word Danger
- · Hazard-determining components of labeling:

phosphoric acid

· Hazard statements

H314 Causes severe skin burns and eye damage.

· Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a poison center/doctor.
P321 Specific treatment (see on this label).
P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)



Printing date 12/28/2023 Version 1 Reviewed on 12/28/2023

Trade name: PANAVIA 21; PANAVIA ETCHING AGENT V

(Contd. of page 1)

· Other hazards Avoid breathing sanding dust / swarf.

3 Composition/Information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.
- · Dangerous components:

7664-38-2 phosphoric acid

30 - 50% *

Skin Corrosion - Category 1B, H314

* Actual concentration ranges are withheld as a trade secret.

· Other ingredients:

Water

Amorphous silica

Polyvinylpyrolidone

Dye

4 First-aid measures

- · Description of first aid measures
- · General information:

Avoid contact with eyes.

Avoid contact with skin.

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures See Section 8.
- · Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

(Contd. on page 3)



Printing date 12/28/2023 Version 1 Reviewed on 12/28/2023

Trade name: PANAVIA 21; PANAVIA ETCHING AGENT V

(Contd. of page 2)

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- · Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

· Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

7664-38-2 phosphoric acid

EL STEL: 3 mg/m³ TWA: 1 mg/m³ EV STEL: 3 mg/m³ TWA: 1 mg/m³

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Additional information about design of technical systems: No further data; see section 7.
- · Personal protective equipment:
- · General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Breathing equipment: Suitable respiratory protective device recommended.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 4)



Version 1 Reviewed on 12/28/2023 Printing date 12/28/2023

Trade name: PANAVIA 21; PANAVIA ETCHING AGENT V

(Contd. of page 3)

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

· Information on basic physical and chemical properties

· Physical state Liquid · Color: Red Odorless · Odor:

· Melting point/Melting range: Not determined. · Boiling point/Boiling range: Not determined. · Flammability (solid, gaseous): Not applicable.

· Explosion limits:

· Lower: Not determined. · Upper: Not determined. Not determined. · Flash point: · Auto ignition temperature: Not determined. Not determined. · Decomposition temperature: 1.7 - 2.2· pH-value:

· Viscosity:

· Kinematic viscosity Not determined. · Dynamic: Not determined.

· Solubility in / Miscibility with

Partly miscible. · Water: Not determined. · Partition coefficient (n-octanol/water): Not determined. · Vapor pressure: · Density: Not determined. · Relative density Not determined. · Relative vapor density Not determined.

· Other information

· Important information on protection of health and environment, and on safety.

· Danger of explosion: Product does not present an explosion hazard.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide



Printing date 12/28/2023 Version 1 Reviewed on 12/28/2023

Trade name: PANAVIA 21; PANAVIA ETCHING AGENT V

(Contd. of page 4)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity: Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

7664-38-2 phosphoric acid

Oral LD50 1,250 mg/kg (mouse) 1,250 mg/kg (rat) Dermal LD50 2,740 mg/kg (rabbit)

- · on the skin: Causes severe skin burns and eye damage.
- · on the eye: Causes serious eye damage.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- Specific target organ toxicity single exposure

Based on available data, the classification criteria are not met.

· Specific target organ toxicity - repeated exposure

Based on available data, the classification criteria are not met.

- · Aspiration hazard Based on available data, the classification criteria are not met.
- · Subacute to chronic toxicity:
- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects
- · Additional ecological information:
- · General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to decreased pH-values. A low pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably increased, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 6)



Printing date 12/28/2023 Version 1 Reviewed on 12/28/2023

Trade name: PANAVIA 21; PANAVIA ETCHING AGENT V

(Contd. of page 5)

· Uncleaned packagings:

· Limited quantities (LQ)

· Excepted quantities (EQ)

• Recommendation: Disposal must be made according to official regulations.

Transport information	
UN-Number	INITOOF
DOT/TDG, IMDG, IATA	UN1805
UN proper shipping name	
DOT/TDG	Phosphoric acid solution
· IMDG, IATA	PHOSPHORIC ACID, SOLUTION
Transport hazard class(es)	
DOT/TDG (Transport dangerous goods):	
Class	8 Corrosive substances
Label	8
Label	8
Class	8 Corrosive substances
Label	8
Packing group	
DOT/TDG, IMDG, IATA	III
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Corrosive substances
Hazard identification number (Kemler code):	
EMS Number:	F-A,S-B
Segregation groups	(SGG1) Acids
Stowage Category Segregation Code	A SG36 Stow "separated from" SGG18-alkalis.
Segregation Code	SG49 Stow "separated from" SGG6-cyanides
Transport in bulk according to Annex II of	•
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT/TDG	
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml

5L

Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 7)



Printing date 12/28/2023 Version 1 Reviewed on 12/28/2023

Trade name: PANAVIA 21; PANAVIA ETCHING AGENT V

(Contd. of page 6)

· UN "Model Regulation":

UN 1805 PHOSPHORIC ACID, SOLUTION, 8, III

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Canadian substance listings:
- · Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Non-Domestic Substances List (NDSL)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

7664-38-2 phosphoric acid

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H318 Causes serious eye damage.

H314 Causes severe skin burns and eye damage.

· Abbreviations and acronyms:

DOT: US Department of Transportation

ELINCS: European List of Notified Chemical Substances

- CA