

# Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

### **1 Identification**

#### · Product identifier

· Trade name: ALLOY PRIMER

- Article number: CA054
- Relevant identified uses of the substance or mixture and uses advised against
- No further relevant information available.
- $\cdot$  Application of the substance / the mixture Adhesive, dental metal

#### · Details of the supplier of the safety data sheet

Manufacturer: Kuraray Noritake Dental Inc.
1621 Sakazu, Kurashiki, Okayama 710-0801, Japan
Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com **Emergency telephone number:** For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night

- Within USA and Canada: 1-800-424-9300 CCN706984 or
- +1 703-527-3887 (collect calls accepted)

### 2 Hazard(s) identification

· Classification of the substance or mixture GHS02 Flame Flammable Liquids - Category 2 H225 Highly flammable liquid and vapour. GHS07 Eye Irritation - Category 2A H319 Causes serious eye irritation. Specific Target Organ Toxicity - Single Exposure -H336 May cause drowsiness or dizziness. Category 3 · Label elements · GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). · Hazard pictograms GHS02, GHS07 · Signal word Danger · Hazard-determining components of labeling: acetone · Hazard statements H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. Precautionary statements Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210 smoking. P240 Ground and bond container and receiving equipment. P241 Use explosion-proof [electrical/ventilating/lighting] equipment. (Contd. on page 2) CA

\*



Version 3

Reviewed on 05/25/2018

### Trade name: ALLOY PRIMER

	(Contd. of page 1)
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P35	3 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with
	water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international
	regulations.

### **3** Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

 Dangerous components:

 67-64-1

 acetone

 Image: Planmable Liquids - Category 2, H225;

 Eye Irritation - Category 2A, H319;

 Specific Target Organ Toxicity - Single Exposure - Category 3, H336

50-100% w/w

#### Other ingredients:

6-(4-Vinylbenzyl-N-propyl)amino-1,3,5-triazine-2,4-dithione 10-Methacryloyloxydecyl dihydrogen phosphate

### 4 First-aid measures

#### · Description of first aid measures

#### • After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **5** Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• Special hazards arising from the substance or mixture No further relevant information available.

- Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

(Contd. on page 3)



Reviewed on 05/25/2018

Trade name: ALLOY PRIMER

(Contd. of page 2)

### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures See Section 8.
- Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

### 7 Handling and storage

#### · Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.
- Conditions for safe storage, including any incompatibilities • Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25°C).
- **Information about storage in one common storage facility:** Store away from oxidizing agents.
- Store away from reducing agents.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Components with limit values that require monitoring at the workplace:

- 67-64-1 acetone
- EL Short-term value: 500 ppm

Long-term value: 250 ppm

• Additional information: The lists that were valid during the creation were used as basis.

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

- Avoid contact with the eyes.
- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- **Protection of hands:** Neoprene gloves

(Contd. on page 4)



# Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

### Trade name: ALLOY PRIMER

(Contd. of page 3)

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Neoprene gloves

#### · Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

Information on basic physical and chemical properties						
General Information						
Appearance:						
Form:	Liquid					
Color:	Transparent					
Odor:	Acetone-like					
pH-value:	Not determined					
Change in condition						
Melting point/Melting range:	-94.7 °C (acetone)					
<b>Boiling point/Boiling range:</b>	55 °C (acetone)					
Flash point:	-19 °C (acetone)					
gnition temperature:	465.0 °C (acetone)					
Decomposition temperature:	Not determined					
Danger of explosion:	Product is not explosive. However, formation of explosive air/ vapor mixtures are possible.					
Explosion limits:						
Lower:	2.6 Vol % (acetone)					
Upper:	13.0 Vol % (acetone)					
Oxidizing properties	Not determined					
Vapor pressure at 20 °C:	233.0 hPa (acetone)					
Density:	0.79 g/cm <sup>3</sup> (acetone)					
Relative density	Not determined					
Vapor density	2.0 g/cm <sup>3</sup> (acetone, air=1)					
Evaporation rate	Not determined					
Solubility in / Miscibility with						
Water:	Partly miscible.					

- CA



# Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

(Contd. of page 4)

Trade name: ALLOY PRIMER

· Viscosity:

Not determined

• Other information

No further relevant information available.

### **10 Stability and reactivity**

· Reactivity No further relevant information available.

- · Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions No dangerous reactions known.

• Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

· Hazardous decomposition products: Carbon monoxide and carbon dioxide

### **11 Toxicological information**

· Information on toxicological effects

• Acute toxicity:

#### · LD/LC50 values that are relevant for classification:

67-64-1 acetone

Oral LD50 5800 mg/kg (rat)

Dermal LD50 20000 mg/kg (rabbit)

Primary irritant effect:

• on the skin: No irritant effect.

• on the eye: Irritating effect.

Sensitization: Based on available data, the classification criteria are not met.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

#### · NTP (National Toxicology Program)

None of the ingredients is listed.

### **12 Ecological information**

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. • Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

(Contd. on page 6)



## Safety Data Sheet According to HPR

Version 3

Reviewed on 05/25/2018

Trade name: ALLOY PRIMER

(Contd. of page 5)

• Other adverse effects No further relevant information available.

### **13 Disposal considerations**

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

UN-Number DOT	11311000			
TDG, IMDG, IATA	UN1090 1090			
· · ·	1070			
UN proper shipping name				
TDG IMDG, IATA	1090 ACETONE, solution ACETONE, solution			
	ACE I ONE, Solution			
Transport hazard class(es)				
DOT				
Class	3 Flammable liquids			
Label	3			
TDG, IMDG, IATA				
Class	2 Flammahla liquida			
Label	3 Flammable liquids 3			
	5			
Packing group	п			
DOT, TDG, IMDG, IATA	II			
Environmental hazards:				
Marine pollutant:	No			
Special precautions for user	Warning: Flammable liquids			
Danger code (Kemler):	33			
EMS Number:	F-E,S-D			
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	Transport in bulk according to Annex II ofMARPOL73/78 and the IBC CodeNot applicable.			
UN "Model Regulation":	UN1090; ACETONE, solution; 3; II			

(Contd. on page 7)



Reviewed on 05/25/2018

Trade name: ALLOY PRIMER

(Contd. of page 6)

	15	Regu	latory	inforn	nation
--	----	------	--------	--------	--------

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• SARA 311/312: See Section 2 for the information on physical and health hazards.

• TSCA (Toxic Substances Control Act):

- All ingredients are listed.
- · Canadian substance listings:

· Canadian Domestic Substances List (DSL)

All ingredients are listed.

· Canadian Ingredient Disclosure list (limit 0.1%)

None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

All ingredients are listed.

### **16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

\* Data compared to the previous version altered.