

Printing date 07/28/2017 Version 5 Reviewed on 07/28/2017

1 Identification

Product identifier

Trade name: ALLOY PRIMER

· Article number: US054

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Adhesive, dental metal

Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc.

1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com

Emergency telephone number:

For chemical emergency spill, leak, fire, exposure or accident

Call CHEMTREC day and night

Within USA and Canada: 1-800-424-9300 CCN706984 or

+1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.



Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS02, GHS07
- · Signal word Danger
- · Hazard-determining components of labeling:

acetone

· Hazard statements

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/equipment. P280 Wear protective gloves / eye protection / face protection.

(Contd. on page 2)



Printing date 07/28/2017 Version 5 Reviewed on 07/28/2017

Trade name: ALLOY PRIMER

Contd of page 1

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor if you feel unwell.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Substances None

· Chemical characterization: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Other ingredients:

6-(4-Vinylbenzyl-N-propyl)amino-1,3,5-triazine-2,4-dithione

10-Methacryloyloxydecyl dihydrogen phosphate

4 First-aid measures

- Description of first aid measures
- · After inhalation:

Supply fresh air; consult doctor in case of complaints.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Do not induce vomiting; immediately call for medical help.

If symptoms persist consult doctor.

- **Information for doctor:**
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

US.



Printing date 07/28/2017 Version 5 Reviewed on 07/28/2017

Trade name: ALLOY PRIMER

(Contd. of page 2)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

· Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25 °C).
- Information about storage in one common storage facility:

Store away from oxidizing agents.

Store away from reducing agents.

Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with limit values that require monitoring at the workplace:

67-64-1 acetone

PEL | 2400 mg/m³, 1000 ppm REL | 590 mg/m³, 250 ppm

TLV Short-term value: 1782 mg/m³, 750 ppm Long-term value: 1188 mg/m³, 500 ppm

BEI

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

(Contd. on page 4)



Printing date 07/28/2017 Version 5 Reviewed on 07/28/2017

Trade name: ALLOY PRIMER

(Contd. of page 3)

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Breathing equipment: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:

Neoprene gloves

Solvent resistant gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Butyl rubber, BR

Neoprene gloves

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical	l and c	hemical	l pro	perties
------------	---------	---------	-------	---------

· Information on basic physical and · General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Transparent	
· Odor:	Acetone-like	
· pH-value:	Not determined	
· Change in condition		
Melting point/Melting range:	-94.7 °C (acetone)	
Boiling point/Boiling range:	55 °C (acetone)	
· Flash point:	-19 °C (acetone)	
· Ignition temperature:	465.0 °C (acetone)	
· Decomposition temperature:	Not determined	
· Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
· Explosion limits:		
Lower:	2.6 Vol % (acetone)	
Upper:	13.0 Vol % (acetone)	
Oxidizing properties	Not determined	
· Vapor pressure at 20 °C:	233.0 hPa (acetone)	
Density:	0.79 g/cm³ (acetone)	
Relative density	Not determined	
· Vapor density	2.0 g/cm³ (acetone, air=1)	

(Contd. on page 5)



Printing date 07/28/2017 Version 5 Reviewed on 07/28/2017

Trade name: ALLOY PRIMER

(Contd. of page 4)

Evaporation rate Not determined
 Solubility in / Miscibility with
 Water: Partly miscible.
 Partition coefficient (n-octanol/water): -0.24 (acetone)

· Viscosity: Not determined

Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · **Incompatible materials:** No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 ·	values	that are	relevant	for	classification:
-------------	--------	----------	----------	-----	-----------------

67-64-1 acetone

Oral LD50 5800 mg/kg (rat)
Dermal LD50 20000 mg/kg (rabbit)

- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- Sensitization: Based on available data, the classification criteria are not met.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- **Behavior in environmental systems:**
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.

(Contd. on page 6)



Printing date 07/28/2017 Version 5 Reviewed on 07/28/2017

Trade name: ALLOY PRIMER

(Contd. of page 5)

- Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- **Recommendation:** Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport information

· UN-Number

• **DOT** UN1090 • **ADR, IMDG, IATA** 1090

· UN proper shipping name

· ADR 1090 ACETONE, solution · IMDG, IATA 1090 ACETONE, solution

- · Transport hazard class(es)
- · DOT



· Class 3 Flammable liquids

· Label

· ADR, IMDG, IATA



· Class 3 Flammable liquids

· Label

· Packing group

· DOT, ADR, IMDG, IATA

Environmental hazards:

· Marine pollutant: No

· Special precautions for user Warning: Flammable liquids

3

Danger code (Kemler): 33

· EMS Number: F-E,S-D

(Contd. on page 7)



Printing date 07/28/2017 Version 5 Reviewed on 07/28/2017

Trade name: ALLOY PRIMER

(Contd. of page 6)

Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

• **UN "Model Regulation":** UN1090; ACETONE, solution; 3; II

15 Regulatory information

- Safety, health and environmental regulations/legislation specific for the substance or mixture
- Sara
- Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Cancerogenity categories
- · EPA (Environmental Protection Agency)

67-64-1 acetone

67-64-1 acetone

I

A4

TLV (Threshold Limit Value established by ACGIH)

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- GHS label elements Not determined
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· NFPA ratings (scale 0 - 4)



Health = 1 Fire = 3 Reactivity = 0

(Contd. on page 8)



Printing date 07/28/2017 Version 5 Reviewed on 07/28/2017

Trade name: ALLOY PRIMER

· HMIS-ratings (scale 0 - 4)

1 Health = 1

3 FIRE Fire = 3REACTIVITY 0

HEALTH

Reactivity = 0

· Abbreviations and acronyms:

Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.

(Contd. of page 7)