

Safety Data Sheet acc. to OSHA HCS

Version 3

Reviewed on 07/31/2017

Printing date 07/31/2017

1 Identification

· Product identifier

• Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

• Article number: US162

 \cdot Relevant identified uses of the substance or mixture and uses advised against

- No further relevant information available.
- \cdot Application of the substance / the mixture Core build-up material

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

· Contact information:

Kuraray America, Inc. 33 Maiden Lane, 6th Floor, New York, NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200 Website: www.kuraraydental.com **Emergency telephone number:** For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night Within USA and Canada: 1-800-424-9300 CCN706984 or +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Other hazards
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:	
1565-94-2 bisphenol A diglycidylmethacrylate	<5%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
109-16-0 triethylene glycol dimethacrylate	<5%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
Other ingredients:	
Hydrophilic aliphatic dimethacrylate	
Hydrophobic aromatic dimethacrylate	
Silanated barium glass filler	
Silanated colloidal silica	
Colloidal silica	
dl-Camphorquinone	
· ·	(Contd. on page 2)



Printing date 07/31/2017

Safety Data Sheet acc. to OSHA HCS

Version 3

Reviewed on 07/31/2017

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

(Contd. of page 1)

Aluminum oxide filler Initiators Accelerators Pigments

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: Do not induce vomiting; immediately call for medical help.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- Advice for firefighters
- Protective equipment:
- Wear self-contained respiratory protective device.
- Wear fully protective suit.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- · Environmental precautions: No special measures required.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections No dangerous substances are released.

7 Handling and storage

- · Handling:
- Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a refrigerator (2-8 °C).
- · Information about storage in one common storage facility:
- Store away from oxidizing agents.
- Store away from reducing agents.
- · Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- Specific end use(s) No further relevant information available.

(Contd. on page 3)



Printing date 07/31/2017

*

Safety Data Sheet acc. to OSHA HCS

Version 3

Reviewed on 07/31/2017

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

(Contd. of page 2)

(Contd. on page 4)

US

B Exposure controls/personal p			
Additional information about desig	gn of technical systems: No further data; see item 7.		
The product does not contain any rele- monitored at the workplace.	require monitoring at the workplace: evant quantities of materials with critical values that have to be nat were valid during the creation were used as basis.		
 Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of qualit and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed. 			
The exact break trough time has to be	e found out by the manufacturer of the protective gloves and has to be		
The exact break trough time has to be observed.	e found out by the manufacturer of the protective gloves and has to be		
The exact break trough time has to be observed. • Eye protection: Not required.			
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and	rties		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information	rties		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and	rties chemical properties		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance:	rties chemical properties Pasty Colored		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form:	rties chemical properties Pasty		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color:	rties chemical properties Pasty Colored		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor:	rties chemical properties Pasty Colored Slightly methacrylate odor		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance: • Form: Color: • Odor: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range:	rties chemical properties Pasty Colored Slightly methacrylate odor Not determined Not determined		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point:	rties chemical properties Pasty Colored Slightly methacrylate odor Not determined Not determined Not determined Not determined		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Ignition temperature:	rties chemical properties Pasty Colored Slightly methacrylate odor Not determined Not determined Not determined Not determined Not determined		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance: • Form: Color: • Odor: • Odor: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Ignition temperature:	rties chemical properties Pasty Colored Slightly methacrylate odor Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Ignition temperature: • Decomposition temperature:	rties chemical properties Pasty Colored Slightly methacrylate odor Not determined Not determined Not determined Not determined Not determined		
The exact break trough time has to be observed. • Eye protection: Not required. • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Ignition temperature: • Decomposition temperature: • Danger of explosion: • Explosion limits:	rties chemical properties Pasty Colored Slightly methacrylate odor Not determined Not determined Not determined Not determined Not determined Not determined Product does not present an explosion hazard.		
The exact break trough time has to be observed. • Eye protection: Not required. • Physical and chemical proper • Information on basic physical and • General Information • Appearance: Form: Color: • Odor: • Odor: • pH-value: • Change in condition Melting point/Melting range: Boiling point/Boiling range: • Flash point: • Ignition temperature: • Decomposition temperature:	rties chemical properties Pasty Colored Slightly methacrylate odor Not determined Not determined Not determined Not determined Not determined Not determined Not determined Not determined		



Safety Data Sheet acc. to OSHA HCS

Printing date 07/31/2017

Version 3

Reviewed on 07/31/2017

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

		(Contd. of page 3
· Vapor pressure:	Not determined	
Density:	2.0 g/cm ³	
Relative density	Not determined	
· Vapor density	Not determined	
• Evaporation rate	Not determined	
· Solubility in / Miscibility wit	h	
Water:	Insoluble.	
Partition coefficient (n-octan	ol/water): Not applicable	
· Viscosity:	Not determined	
• Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used and stored according to specifications.
- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.

(Contd. on page 5)

US



Safety Data Sheet acc. to OSHA HCS

Version 3

Printing date 07/31/2017

Reviewed on 07/31/2017

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

(Contd. of page 4)

- · Additional ecological information:
- · General notes: Generally not hazardous for water
- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

• **Recommendation:** Disposal must be made according to official regulations.

4 Transport information	
· UN-Number · DOT, ADR, ADN, IMDG, IATA	Void
· UN proper shipping name · DOT, ADR, ADN, IMDG, IATA	Void
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class	Void
 Packing group DOT, ADR, IMDG, IATA 	Void
· Environmental hazards: · Marine pollutant:	No
· Special precautions for user	Not applicable.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
UN "Model Regulation":	Void

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture · Sara

Section 355 (extremely hazardous substances):

None of the ingredient is listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

(Contd. on page 6)

⁻t



Printing date 07/31/2017

Safety Data Sheet acc. to OSHA HCS

Version 3

Trade name: CLEARFIL DC CORE PLUS ; A & B Paste

	(Contd. of page 5)
· Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
· Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
· Cancerogenity categories	
· EPA (Environmental Protection Agency)	
None of the ingredients is listed.	

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

• NFPA ratings (scale 0 - 4)



Health = 0 Fire = 0 Reactivity = 0

· HMIS-ratings (scale 0 - 4)

HEALTH 0	Health = 0
	Fire = 0
REACTIVITY 0	Reactivity $= 0$

· Abbreviations and acronyms:

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.

US