

Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 07/31/2017

1 Identification

· Product identifier

Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix

· Article number: US-190, US205

· Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.

· Application of the substance / the mixture Resin-based dental adhesive cement

· Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 1621 Sakazu, Kurashiki, Okayama 710-0801,

Japan

- Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A.

Tel: 800-879-1676

Fax: 888-700-5200

Website: www.kuraraydental.com

· Emergency telephone number:

For chemical emergency spill, leak, fire, exposure or accident Call CHEMTREC day and night Within USA and Canada: 1-800-424-9300 CCN706984 or

- +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture

GHS07

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms GHS07
- · Signal word Warning

· Hazard-determining components of labeling:

2-hydroxyethyl methacrylate

Hazard statements

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

· Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if
- present and easy to do. Continue rinsing.
- P321 Specific treatment (see on this label). P362 Take off contaminated clothing.
- P501 Dispose of contents/container in accordance with local/regional/national/international
 - regulations.

(Contd. on page 2)



Version 2

Reviewed on 07/31/2017

Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix

(Contd. of page 1)

· Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

• **vPvB:** Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:	
1565-94-2 bisphenol A diglycidylmethacrylate	3-15%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319	
109-16-0 triethylene glycol dimethacrylate	3-15%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; STOT SE 3, H335	
868-77-9 2-hydroxyethyl methacrylate	3-15%
Skin Irrit. 2, H315; Eye Irrit. 2A, H319; Skin Sens. 1, H317	
7681-49-4 sodium fluoride	<1%
left Acute Tox. 3, H301; 🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H3	19
Other ingredients:	

Silanated barium glass filler Silanated colloidal silica

10-Methacryloyloxydecyl dihydrogen phosphate

Hydrophobic aromatic dimethacrylate

Hydrophobic aliphatic dimethacrylate

dl-Camphorquinone

Peroxide

Accelerators

Catalysts

Pigments

*

• Additional information: EUH032: Contact with acids liberates very toxic gas.(sodium fluoride)

4 First-aid measures

- · Description of first aid measures
- · General information:

Avoid contact with eves.

Avoid contact with skin.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact:
- Immediately wash with water and soap and rinse thoroughly.
- If skin irritation continues, consult a doctor.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor:

• Most important symptoms and effects, both acute and delayed No further relevant information available.

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

(Contd. on page 3)

US



Version 2

Reviewed on 07/31/2017

Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix

(Contd. of page 2)

5 Fire-fighting measures

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear fully protective suit.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures See Section 8.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location (2-25 °C).
- · Information about storage in one common storage facility:
- Store away from oxidizing agents.
- Store away from reducing agents.
- Further information about storage conditions:
- Keep receptacle tightly sealed.
- Store in cool, dry conditions in well sealed receptacles.
- Protect from heat and direct sunlight.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

· Com	ponents with limit values that require monitoring at the workplace:	
7681-	49-4 sodium fluoride	
PEL	Long-term value: 2.5 mg/m ³ as F	
REL	Long-term value: 2.5 mg/m ³ as F	
TLV	Long-term value: 2.5 mg/m ³ as F, BEI	
·Addi	tional information: The lists that were valid during the creation were used as basis.	(Contd. on page 4)



*

Version 2

Reviewed on 07/31/2017

Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix

(Contd. of page 3)

	(Contd. of page
Exposure controls	
Personal protective equipment:	
General protective and hygienic me Immediately remove all soiled and co	
Wash hands before breaks and at the	
Breathing equipment: Not required.	
Protection of hands:	
dh	
Protective gloves	
Flotted ve gloves	
The share we take in the improvement	
	eable and resistant to the product/ the substance/ the preparation. tion to the glove material can be given for the product/ the preparation/
the chemical mixture.	tion to the glove material can be given for the product, the preparation
Selection of the glove material on con	nsideration of the penetration times, rates of diffusion and the
degradation	
Material of gloves	
	loes not only depend on the material, but also on further marks of quali ufacturer. As the product is a preparation of several substances, the
	ot be calculated in advance and has therefore to be checked prior to the
application.	
Penetration time of glove material	
	e found out by the manufacturer of the protective gloves and has to be
observed.	
Eye protection:	
Tightly sealed goggles	
Fightly sealed goggles	
Physical and chemical proper	rties
· · · ·	
Information on basic physical and General Information	chemical properties
Appearance:	
Form:	Pasty
Color:	Colored
Odor:	Odorless
Odor threshold:	Not determined
pH-value:	Not determined
Change in condition	
Melting point/Melting range:	Not determined
Boiling point/Boiling range:	Not determined
Flash point:	Not determined
Flammability (solid, gaseous):	Not determined
Ignition temperature:	

Not determined

Not determined

Product does not present an explosion hazard.

Decomposition temperature:

· Danger of explosion:

· Explosion limits: Lower:

(Contd. on page 5)

⁻ US



Version 2

Reviewed on 07/31/2017

Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix

		(Contd. of page
Upper:	Not determined	
• Oxidizing properties	Not determined	
· Vapor pressure:	Not determined	
Density:	(Automix) 1.8 g/cm ³	
•	(Handmix) 1.9 g/cm ³	
Relative density	Not determined	
· Vapor density	Not determined	
• Evaporation rate	Not determined	
Solubility in / Miscibility with		
Water:	Insoluble.	
Partition coefficient (n-octanol	/water): Not determined	
Viscosity:	Not determined	
Dynamic:	Not determined	
Kinematic:	Not determined	
Other information	No further relevant information available.	

10 Stability and reactivity

· Reactivity No further relevant information available.

- Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

· Information on toxicological effects

• Acute toxicity:

· LD/LC50 values that are relevant for classification:

868-77-9 2-hydroxyethyl methacrylate

Oral LD50 4680 mg/kg (guinea pig)

3275 mg/kg (mouse) 5050 mg/kg (rat)

· Primary irritant effect:

- on the skin: Irritating effect
- on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.

- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

- Irritant
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

(Contd. on page 6)

US



Version 2

Printing date 07/31/2017

Reviewed on 07/31/2017

Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix

(Contd. of page 5)

·NTP (National Toxicology Program)

None of the ingredients is listed.

12 Ecological information

Toxicity

• Aquatic toxicity: No further relevant information available.

- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number		
DOT, ADR, ADN, IMDG, IATA	Void	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	Void	
Transport hazard class(es)		
DOT, ADR, ADN, IMDG, IATA Class	Void	
Packing group DOT, ADR, IMDG, IATA	Void	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 7)



Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 07/31/2017

Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix

(Contd. of page 6)

Safety, Sara	health and environmental regulations/legislation specific for the substance or mixture
Section	a 355 (extremely hazardous substances):
None o	f the ingredient is listed.
Sectior	a 313 (Specific toxic chemical listings):
None o	f the ingredients is listed.
TSCA	(Toxic Substances Control Act):
All ing	redients are listed.
-	ition 65
	cals known to cause cancer:
None o	f the ingredients is listed.
Chemi	cals known to cause reproductive toxicity for females:
None o	f the ingredients is listed.
Chemi	cals known to cause reproductive toxicity for males:
None o	f the ingredients is listed.
Chemi	cals known to cause developmental toxicity:
None o	f the ingredients is listed.
Cancer	ogenity categories
	Environmental Protection Agency)
None o	f the ingredients is listed.
TLV (Threshold Limit Value established by ACGIH)
None o	f the ingredients is listed.
NIOSH	I-Ca (National Institute for Occupational Safety and Health)

16 Other information

*

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H301 Toxic if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.

· NFPA ratings (scale 0 - 4)



· HMIS-ratings (scale 0 - 4)



• Abbreviations and acronyms: Acute Tox. 3: Acute toxicity – Category 3



Safety Data Sheet acc. to OSHA HCS

Version 2

Reviewed on 07/31/2017

Trade name: PANAVIA SA Cement Plus Automix, PANAVIA SA Cement Plus Handmix

(Contd. of page 7)

US

Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* Data compared to the previous version altered.