

Printing date 07/27/2018 Version 3 Reviewed on 07/26/2018

1 Identification

· Product identifier

· Trade name: EX-3 PRESS · Article number: US831

· Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance / the mixture Dental porcelain

Details of the supplier of the safety data sheet

· Manufacturer:

Kuraray Noritake Dental Inc. 300 Higashiyama, Miyoshi-cho, Miyoshi, Aichi, 470-0293

Japan

Contact information:

Kuraray America, Inc.

33 Maiden Lane, 6th Floor, New York,

NY 10038 U.S.A. Tel: 800-879-1676 Fax: 888-700-5200

Website: www.kuraraydental.com · Emergency telephone number:

For chemical emergency spill, leak, fire, exposure or accident

Call CHEMTREC day and night

Within USA and Canada: 1-800-424-9300 CCN706984 or

+1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS08 Health hazard

Carc. 1A H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

STOT RE 1 H372 Causes damage to organs through prolonged or repeated exposure.



Skin Sens. 1 H317 May cause an allergic skin reaction.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

- · Hazard pictograms GHS07, GHS08
- · Signal word Danger
- · Hazard-determining components of labeling:

nickel oxide

· Hazard statements

H317 May cause an allergic skin reaction.

H350 May cause cancer.

H361 Suspected of damaging fertility or the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray. P260

P264 Wash thoroughly after handling.

(Contd. on page 2)



Printing date 07/27/2018 Version 3 Reviewed on 07/26/2018

Trade name: EX-3 PRESS

(Contd. of page 1)

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P363 Wash contaminated clothing before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Other hazards

Avoid breathing sanding dust / swarf.

Dust generation.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous	components:	
1313-99-1	nickel oxide	≤1%
	© Carc. 1A, H350; STOT RE 1, H372; © Eye Irrit. 2A, H319; Skin Sens. 1, H317; Aquatic Chronic 4, H413	
13463-67-7	titanium dioxide	≤0.1%
	♦ Carc. 2, H351	
1314-62-1	vanadium pentoxide	≤0.1%
	♦ Muta. 2, H341; Carc. 2, H351; Repr. 2, H361; STOT RE 1, H372; ♦ Aquatic Chronic 2, H411; ♠ Acute Tox. 4, H302; Acute Tox. 4, H332; STOT SE 3, H335	

Other ingredients:

Potassium alumino silicate glass

Pigments

4 First-aid measures

- Description of first aid measures
- After inhalation: Supply fresh air and to be sure call for a doctor.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eve contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Product is not flammable
- · Special hazards arising from the substance or mixture No further relevant information available.

(Contd. on page 3)



Printing date 07/27/2018 Version 3 Reviewed on 07/26/2018

Trade name: EX-3 PRESS

(Contd. of page 2)

· Advice for firefighters

· Protective equipment: No special measures required.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures See Section 8.
- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Pick up mechanically.

Ensure adequate ventilation.

Use appropriate Personal Protective Equipment (PPE).

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- Handling:
- · Precautions for safe handling

Prevent formation of dust.

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with skin and eyes. Do not swallow. Avoid generating dust. Do not breathe dust/fume/gas/mist/vapors/spray.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store at room temperature.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters

· Components with	limit values that r	equire monitoring	at the workplace:
-------------------	---------------------	-------------------	-------------------

PEL (USA) Long-term value: 1 mg/m³ as Ni REL (USA) Long-term value: 0.015 mg/m³ as Ni; See Pocket Guide App. A TLV (USA) Long-term value: 0.2 mg/m³ as Ni; inhalable fraction

13463-67-7 titanium dioxide

PEL (USA)	Long-term value: 15* mg/m ³
	*total dust
REL (USA)	Long-term value: 15* mg/m³ *total dust See Pocket Guide App. A Long-term value: 10 mg/m³ withdrawn from NIC
TLV (USA)	Long-term value: 10 mg/m ³
	withdrawn from NIC

(Contd. on page 4)



Printing date 07/27/2018 Version 3 Reviewed on 07/26/2018

Trade name: EX-3 PRESS

1314-62-1 vanadium pentoxide

PEL (USA) Ceiling limit value: 0.5* 0.1** mg/m³ as V2O5,*respirable dust **fume

REL (USA) Ceiling limit value: 0.05* mg/m³

*15-min, except V metal and carbide

TLV (USA) Long-term value: 0.05* mg/m³

*as inhalable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Do not inhale dust / smoke / mist.
- **Breathing equipment:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
- · Appearance:

Form: Pellets
Colored
Odor: Odorless
Odor threshold: Not determined

pH-value: Not determined

· Change in condition

Melting point/Melting range: Not determined Boiling point/Boiling range: Not determined

(Contd. on page 5)



Printing date 07/27/2018 Version 3 Reviewed on 07/26/2018

Trade name: EX-3 PRESS

		(Contd. of page
· Flash point:	Not determined	
· Flammability (solid, gaseous):	Not determined	
· Decomposition temperature:	Not determined	
· Auto igniting:	Not determined	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined	
Upper:	Not determined	
Oxidizing properties	Not determined	
· Vapor pressure:	Not determined	
Density:		
Relative density	Not determined	
Vapor density	Not determined	
Evaporation rate	Not determined	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/wa	ter): Not determined	
· Viscosity:	Not determined	
Dynamic:	Not determined	
Kinematic:	Not determined	
Other information	No further relevant information available.	

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: None

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

· IARC (International Agency for Research on Cancer)		
1313-99-1	nickel oxide	1
13463-67-7	titanium dioxide	2B
	(Contd. on	nage 6)

ntd. on page 6



Printing date 07/27/2018 Version 3 Reviewed on 07/26/2018

Trade name: EX-3 PRESS

1314-62-1 vanadium pentoxide	(Contd. of page 5)
· NTP (National Toxicology Program)	
1313-99-1 nickel oxide	K

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- **Behavior in environmental systems:**
- Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even extremely small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- Recommendation:

Disposal must be made according to official regulations.

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.

Void	
Void	
Void	
Void	
Not applicable.	
Not applicable.	
II of Not applicable.	
	Void Void Void Void Not applicable. Not applicable.

(Contd. on page 7)



Printing date 07/27/2018 Version 3 Reviewed on 07/26/2018

Trade name: EX-3 PRESS

(Contd. of page 6)

· UN "Model Regulation": Void

15 Regulatory information

- Section 355 (extremely hazardous substances):
- 1314-62-1 vanadium pentoxide
- Section 313 (Specific toxic chemical listings):
- 1313-99-1 nickel oxide
- 1314-62-1 vanadium pentoxide
- SARA 311/312: See Section 2 for the information on physical and health hazards.
- · Proposition 65
- · Chemicals known to cause cancer:

1313-99-1	nickel oxide
-----------	--------------

13463-67-7 titanium dioxide

1314-62-1 vanadium pentoxide

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV (Threshold Limit Value established by ACGIH)

1313-99-1	nickel oxide	A1
13463-67-7	titanium dioxide	A4
1314-62-1	vanadium pentoxide	A3

· NIOSH-Ca (National Institute for Occupational Safety and Health)

1313-99-1 nickel oxide

13463-67-7 titanium dioxide

Precautionary statements



WARNING: This product can expose you to chemicals including nickel oxide, titanium dioxide and vanadium oxide which are known to the State of California to cause cancer. For more information go to https://www.p65warnings.ca.gov/.

- National regulations:
- Additional classification according to Decree on Hazardous Materials:

Carcinogenic hazardous material group III (dangerous).

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 8)



Printing date 07/27/2018 Version 3 Reviewed on 07/26/2018

Trade name: EX-3 PRESS

(Contd. of page 7)

NFPA ratings (scale 0 - 4)



HMIS-ratings (scale 0 - 4)



Abbreviations and acronyms:

Acute Tox. 4: Acute toxicity - Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A

Skin Sens. 1: Skin sensitisation - Category 1 Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1A: Carcinogenicity – Category 1A Carc. 2: Carcinogenicity – Category 2

Repr. 2: Reproductive toxicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

* Data compared to the previous version altered.